

## PHP Version 5.2.17

<b>System</b>	Linux r1.configdns.net 2.6.29.5-grsec-hostnoc-4.2.0-x86_64-libata #2 SMP Wed Jul 8 18:25:10 EDT 2009 x86_64
<b>Build Date</b>	Jun 29 2011 18:50:57
<b>Configure Command</b>	'./configure' '--with-apxs2' '--with-curl=/usr/local/lib' '--with-gd' '--enable-gd-native-ttf' '--with-ttf' '--with-gettext' '--with-jpeg-dir=/usr/local/lib' '--with-freetype-dir=/usr/local/lib' '--with-kerberos' '--with-openssl' '--with-mcrypt' '--with-mhash' '--with-mysql=/usr' '--with-mysqli=/usr/bin/mysql_config' '--with-pcre-regex=/usr/local' '--with-pdo-mysql=/usr' '--with-pear' '--with-png-dir=/usr/local/lib' '--with-zlib' '--with-zlib-dir=/usr/local/lib' '--enable-zip' '--with-iconv=/usr/local' '--enable-bcmath' '--enable-calendar' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-mbstring' '--enable-xsl' '--enable-soap' '--enable-memory-limit'
<b>Server API</b>	Apache 2.0 Handler
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/usr/local/lib
<b>Loaded Configuration File</b>	/usr/local/lib/php.ini
<b>Scan this dir for additional .ini files</b>	(none)
<b>additional .ini files parsed</b>	(none)
<b>PHP API</b>	20041225
<b>PHP Extension</b>	20060613
<b>Zend Extension</b>	220060519
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Memory Manager</b>	enabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	https, ftps, compress.zlib, php, file, data, http, ftp, zip
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
<b>Registered Stream Filters</b>	zlib.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.2.0, Copyright (c) 1998-2010 Zend Technologies  
 with the ionCube PHP Loader v3.1.34, Copyright (c) 2002-2009, by ionCube Ltd., and  
 with Zend Optimizer v3.3.9, Copyright (c) 1998-2009, by Zend Technologies  
 with Suhosin v0.9.32.1, Copyright (c) 2007-2010, by SektionEins GmbH

## Configuration

### PHP Core

Directive	
<b>allow_call_time_pass_reference</b>	On
<b>allow_url_fopen</b>	On
<b>allow_url_include</b>	Off
<b>always_populate_raw_post_data</b>	Off
<b>arg_separator.input</b>	&

<b>arg_separator.output</b>	&
<b>asp_tags</b>	Off
<b>auto_append_file</b>	<i>no value</i>
<b>auto_globals_jit</b>	On
<b>auto_prepend_file</b>	<i>no value</i>
<b>browscap</b>	<i>no value</i>
<b>default_charset</b>	<i>no value</i>
<b>default_mimetype</b>	text/html
<b>define_syslog_variables</b>	Off
<b>disable_classes</b>	<i>no value</i>
<b>disable_functions</b>	virtual, curl_multi_exec, show_source, expose_php, disk_total_space, disk_free_space, myshellexec, shell, symlink
<b>display_errors</b>	On
<b>display_startup_errors</b>	Off
<b>doc_root</b>	<i>no value</i>
<b>docref_ext</b>	<i>no value</i>
<b>docref_root</b>	<i>no value</i>
<b>enable_dl</b>	On
<b>error_append_string</b>	<i>no value</i>
<b>error_log</b>	<i>no value</i>
<b>error_prepend_string</b>	<i>no value</i>
<b>error_reporting</b>	6135
<b>expose_php</b>	Off
<b>extension_dir</b>	/usr/local/lib/php/extensions/no-debug-non-zts-20060613/
<b>file_uploads</b>	On
<b>highlight.bg</b>	#FFFFFF
<b>highlight.comment</b>	#FF8000
<b>highlight.default</b>	#0000BB
<b>highlight.html</b>	#000000
<b>highlight.keyword</b>	#007700
<b>highlight.string</b>	#DD0000
<b>html_errors</b>	On
<b>ignore_repeated_errors</b>	Off
<b>ignore_repeated_source</b>	Off
<b>ignore_user_abort</b>	Off
<b>implicit_flush</b>	Off
<b>include_path</b>	./usr/local/lib/php
<b>log_errors</b>	Off
<b>log_errors_max_len</b>	1024
<b>magic_quotes_gpc</b>	On
<b>magic_quotes_runtime</b>	Off
<b>magic_quotes_sybase</b>	Off
<b>mail.force_extra_parameters</b>	<i>no value</i>
<b>max_execution_time</b>	30
<b>max_file_uploads</b>	20
<b>max_input_nesting_level</b>	64
<b>max_input_time</b>	60
<b>memory_limit</b>	55M
<b>open_basedir</b>	/home/colibri/:/tmp:/var/tmp:/usr/local/lib/php/
<b>output_buffering</b>	<i>no value</i>
<b>output_handler</b>	<i>no value</i>
<b>post_max_size</b>	50M
<b>precision</b>	12

realpath_cache_size	16K
realpath_cache_ttl	120
register_argc_argv	On
register_globals	Off
register_long_arrays	On
report_memleaks	On
report zend_debug	On
safe_mode	Off
safe_mode_exec_dir	<i>no value</i>
safe_mode_gid	Off
safe_mode_include_dir	<i>no value</i>
sendmail_from	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i -f colibri@hostmd.biz
serialize_precision	100
short_open_tag	On
SMTP	localhost
smtp_port	25
sql.safe_mode	Off
track_errors	Off
unserialize_callback_func	<i>no value</i>
upload_max_filesize	50M
upload_tmp_dir	<i>no value</i>
user_dir	<i>no value</i>
variables_order	EGPCS
xmlrpc_error_number	0
xmlrpc_errors	Off
y2k_compliance	On
zend.ze1_compatibility_mode	Off

## apache2handler

<b>Apache Version</b>	Apache
<b>Apache API Version</b>	20051115
<b>Server Administrator</b>	webmaster@hostmd.biz
<b>Hostname:Port</b>	www.hostmd.biz:0
<b>User/Group</b>	apache(48)/48
<b>Max Requests</b>	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
<b>Timeouts</b>	Connection: 60 - Keep-Alive: 1
<b>Virtual Server</b>	Yes
<b>Server Root</b>	/etc/httpd
<b>Loaded Modules</b>	core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_include mod_filter mod_deflate mod_log_config mod_logio mod_env mod_expires mod_headers mod_unique_id mod_setenvif mod_version mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_scgi mod_proxy_ajp mod_proxy_balancer mod_ssl prefork http_core mod_mime mod_dav mod_status mod_autoindex mod_asis mod_suexec mod_cgi mod_dav_fs mod_dav_lock mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_php5 mod_evasive20 mod_rpaf-2 mod_geoip mod_ruid2

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

## Apache Environment

Variable	Value
UNIQUE_ID	TxriO0B4pTUAAGvhM5YAAAAAR
GEOIP_ADDR	188.131.95.36
HTTP_HOST	hostmd.biz
HTTP_USER_AGENT	Mozilla/5.0 (Windows; U; Windows NT 5.1; ru; rv:1.9.1.4) Gecko/20091016 Firefox/3.5.4
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	ru,zh-cn;q=0.5
HTTP_ACCEPT_ENCODING	gzip,deflate
HTTP_ACCEPT_CHARSET	windows-1251,utf-8;q=0.7,*;q=0.7
HTTP_KEEP_ALIVE	300
HTTP_CONNECTION	keep-alive
HTTP_COOKIE	__oa_id=ddFQ8HJCXO.1326311259.7.1327129932.1327089917; PHPSESSID=f0c5704cf43d488ae30c23531931b0a5; __oa_ses=1
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache
SERVER_NAME	hostmd.biz
SERVER_ADDR	66.197.238.130
SERVER_PORT	80
REMOTE_ADDR	188.131.95.36
DOCUMENT_ROOT	/home/colibri/domains/hostmd.biz/public_html
SERVER_ADMIN	webmaster@hostmd.biz
SCRIPT_FILENAME	/home/colibri/domains/hostmd.biz/public_html/info.php
REMOTE_PORT	1931
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/info.php
SCRIPT_NAME	/info.php

## HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /info.php HTTP/1.1
Host	hostmd.biz
User-Agent	Mozilla/5.0 (Windows; U; Windows NT 5.1; ru; rv:1.9.1.4) Gecko/20091016 Firefox/3.5.4
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	ru,zh-cn;q=0.5
Accept-Encoding	gzip,deflate
Accept-Charset	windows-1251,utf-8;q=0.7,*;q=0.7
Keep-Alive	300
Connection	keep-alive
Cookie	__oa_id=ddFQ8HJCXO.1326311259.7.1327129932.1327089917; PHPSESSID=f0c5704cf43d488ae30c23531931b0a5; __oa_ses=1
HTTP Response Headers	

<b>Vary</b>	Accept-Encoding
<b>Content-Encoding</b>	gzip

## bcmath

<b>BCMath support</b>	enabled
-----------------------	---------

## calendar

<b>Calendar support</b>	enabled
-------------------------	---------

## ctype

<b>ctype functions</b>	enabled
------------------------	---------

## curl

<b>cURL support</b>	enabled
<b>cURL Information</b>	libcurl/7.21.6 OpenSSL/0.9.8b zlib/1.2.3

## date

<b>date/time support</b>	enabled
<b>"Olson" Timezone Database Version</b>	2010.9
<b>Timezone Database</b>	internal
<b>Default timezone</b>	Europe/Moscow

Directive	Local Value	Master Value
<b>date.default_latitude</b>	31.7667	31.7667
<b>date.default_longitude</b>	35.2333	35.2333
<b>date.sunrise_zenith</b>	90.583333	90.583333
<b>date.sunset_zenith</b>	90.583333	90.583333
<b>date.timezone</b>	Europe/Moscow	Europe/Moscow

## dom

<b>DOM/XML</b>	enabled
<b>DOM/XML API Version</b>	20031129
<b>libxml Version</b>	2.7.6
<b>HTML Support</b>	enabled
<b>XPath Support</b>	enabled
<b>XPointer Support</b>	enabled
<b>Schema Support</b>	enabled
<b>RelaxNG Support</b>	enabled

## filter

<b>Input Validation and Filtering</b>	enabled
<b>Revision</b>	\$Revision: 298196 \$

Directive	Local Value	Master Value
<b>filter.default</b>	unsafe_raw	unsafe_raw
<b>filter.default_flags</b>	no value	no value

## ftp

<b>FTP support</b>	enabled
--------------------	---------

## gd

<b>GD Support</b>	enabled
<b>GD Version</b>	bundled (2.0.34 compatible)
<b>FreeType Support</b>	enabled
<b>FreeType Linkage</b>	with freetype
<b>FreeType Version</b>	2.4.4
<b>GIF Read Support</b>	enabled
<b>GIF Create Support</b>	enabled
<b>JPG Support</b>	enabled
<b>PNG Support</b>	enabled
<b>WBMP Support</b>	enabled
<b>XBM Support</b>	enabled

## gettext

<b>GetText Support</b>	enabled
------------------------	---------

## hash

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## iconv

<b>iconv support</b>	enabled
<b>iconv implementation</b>	glibc
<b>iconv library version</b>	1.13

Directive	Local Value	Master Value
<b>iconv.input_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.internal_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.output_encoding</b>	ISO-8859-1	ISO-8859-1

## imagick

<b>imagick module</b>	enabled
-----------------------	---------

<b>imagemick module version</b>	2.3.0
<b>imagemick classes</b>	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator
<b>ImageMagick version</b>	ImageMagick 6.6.3-0 2010-07-18 Q16 <a href="http://www.imagemagick.org">http://www.imagemagick.org</a>
<b>ImageMagick copyright</b>	Copyright (C) 1999-2010 ImageMagick Studio LLC
<b>ImageMagick release date</b>	2010-07-18
<b>ImageMagick Number of supported formats:</b>	185
<b>ImageMagick Supported formats</b>	3FR, A, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRG, C, CAL, CALS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GBR, GIF, GIF87, GRADIENT, GRAY, GRB, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, JNG, JPEG, JPG, K, K25, KDC, LABEL, M, M2V, M4V, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PWP, R, RADIAL-GRADIENT, RAF, RAS, RBG, RGB, RGBA,RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAI, TILE, TIM, TTC, TTF, TXT, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMV, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
<b>imagemick.locale_fix</b>	0	0
<b>imagemick.progress_monitor</b>	0	0

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

## libxml

<b>libXML support</b>	active
<b>libXML Version</b>	2.7.6
<b>libXML streams</b>	enabled

## mbstring

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>Multibyte (japanese) regex support</b>	enabled
<b>Multibyte regex (oniguruma) version</b>	4.4.4
<b>Multibyte regex (oniguruma) backtrack check</b>	On

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**

Directive	Local Value	Master Value
<b>mbstring.detect_order</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.encoding_translation</b>	Off	Off

<b>mbstring.func_overload</b>	0	0
<b>mbstring.http_input</b>	pass	pass
<b>mbstring.http_output</b>	pass	pass
<b>mbstring.internal_encoding</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.language</b>	neutral	neutral
<b>mbstring.strict_detection</b>	Off	Off
<b>mbstring.substitute_character</b>	<i>no value</i>	<i>no value</i>

## mcrypt

<b>mcrypt support</b>	<b>enabled</b>
<b>Version</b>	2.5.8
<b>Api No</b>	20021217
<b>Supported ciphers</b>	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
<b>Supported modes</b>	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
<b>mcrypt.algorithms_dir</b>	<i>no value</i>	<i>no value</i>
<b>mcrypt.modes_dir</b>	<i>no value</i>	<i>no value</i>

## mhash

<b>MHASH support</b>	Enabled
<b>MHASH API Version</b>	20060101

## mysql

<b>MySQL Support</b>	<b>enabled</b>
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0
<b>Client API version</b>	5.1.57
<b>MYSQL_MODULE_TYPE</b>	external
<b>MYSQL_SOCKET</b>	/var/lib/mysql/mysql.sock
<b>MYSQL_INCLUDE</b>	-I/usr/include/mysql
<b>MYSQL_LIBS</b>	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
<b>mysql.allow_persistent</b>	On	On
<b>mysql.connect_timeout</b>	60	60
<b>mysql.default_host</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_password</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_port</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_socket</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_user</b>	<i>no value</i>	<i>no value</i>
<b>mysql.max_links</b>	Unlimited	Unlimited
<b>mysql.max_persistent</b>	Unlimited	Unlimited
<b>mysql.trace_mode</b>	Off	Off

## mysqli

<b>Mysql Support</b>	<b>enabled</b>
Client API library version	5.1.57
Client API header version	5.1.57
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

## openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8e-fips-rhel5 01 Jul 2008

## pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.10 2010-06-25

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

## PDO

<b>PDO support</b>	<b>enabled</b>
PDO drivers	mysql, sqlite, sqlite2

## pdo\_mysql

PDO Driver for MySQL, client library version	5.1.57
--	--------

## pdo\_sqlite

<b>PDO Driver for SQLite 3.x</b>	<b>enabled</b>
PECL Module version	(bundled) 1.0.1 \$Id: pdo_sqlite.c 293036 2010-01-03 09:23:27Z sebastian \$
SQLite Library	3.3.7

## posix

Revision	\$Revision: 293036 \$
----------	-----------------------

## Reflection

<b>Reflection</b>	<b>enabled</b>
<b>Version</b>	\$Id: php_reflection.c 300129 2010-06-03 00:43:37Z felipe \$

## session

<b>Session Support</b>	enabled
<b>Registered save handlers</b>	files user sqlite
<b>Registered serializer handlers</b>	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

## SimpleXML

<b>Simplexml support</b>	<b>enabled</b>
<b>Revision</b>	\$Revision: 299016 \$
<b>Schema support</b>	enabled

## soap

<b>Soap Client</b>	enabled
<b>Soap Server</b>	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5

soap.wsdl_cache_ttl	86400	86400
---------------------	-------	-------

## sockets

Sockets Support	enabled
-----------------	---------

## SPL

<b>SPL support</b>	enabled
<b>Interfaces</b>	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

## SQLite

<b>SQLite support</b>	enabled
<b>PECL Module version</b>	2.0-dev \$Id: sqlite.c 298697 2010-04-28 12:10:10Z iliaa \$
<b>SQLite Library</b>	2.8.17
<b>SQLite Encoding</b>	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

## standard

<b>Regex Library</b>	Bundled library enabled
<b>Dynamic Library Support</b>	enabled
<b>Path to sendmail</b>	/usr/sbin/sendmail -t -i -f colibri@hostmd.biz

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

## suhosin

This server is protected with the Suhosin Extension 0.9.32.1	수호신
--	-----

Copyright (c) 2006-2007 [Hardened-PHP Project](#)  
 Copyright (c) 2007-2010 [SektionEins GmbH](#)

Directive	Local Value	Master Value
<b>suhosin.apc_bug_workaround</b>	Off	Off
<b>suhosin.cookie.checkraddr</b>	0	0
<b>suhosin.cookie.cryptdocroot</b>	On	On
<b>suhosin.cookie.cryptkey</b>	[ protected ]	[ protected ]
<b>suhosin.cookie.cryptlist</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.cookie.cryptheadr</b>	0	0
<b>suhosin.cookie.cryptua</b>	On	On
<b>suhosin.cookie.disallow_nul</b>	1	1
<b>suhosin.cookie.disallow_ws</b>	1	1
<b>suhosin.cookie.encrypt</b>	Off	Off
<b>suhosin.cookie.max_array_depth</b>	50	50
<b>suhosin.cookie.max_array_index_length</b>	64	64
<b>suhosin.cookie.max_name_length</b>	64	64
<b>suhosin.cookie.max_totalname_length</b>	256	256
<b>suhosin.cookie.max_value_length</b>	10000	10000
<b>suhosin.cookie.max_vars</b>	100	100
<b>suhosin.cookie.plainlist</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.coredump</b>	Off	Off
<b>suhosin.disable.display_errors</b>	Off	Off
<b>suhosin.executor.allow_symlink</b>	Off	Off
<b>suhosin.executor.disable_emodifier</b>	Off	Off
<b>suhosin.executor.disable_eval</b>	Off	Off
<b>suhosin.executor.eval.blacklist</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.executor.eval.whitelist</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.executor.func.blacklist</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.executor.func.whitelist</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.executor.include.allow_writable_files</b>	On	On
<b>suhosin.executor.include.blacklist</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.executor.include.max_traversal</b>	0	0
<b>suhosin.executor.include.whitelist</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.executor.max_depth</b>	0	0
<b>suhosin.filter.action</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.get.disallow_nul</b>	1	1
<b>suhosin.get.disallow_ws</b>	0	0
<b>suhosin.get.max_array_depth</b>	50	50
<b>suhosin.get.max_array_index_length</b>	64	64
<b>suhosin.get.max_name_length</b>	64	64
<b>suhosin.get.max_totalname_length</b>	256	256
<b>suhosin.get.max_value_length</b>	4096	4096
<b>suhosin.get.max_vars</b>	100	100
<b>suhosin.log.file</b>	0	0
<b>suhosin.log.file.name</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.log.phpscript</b>	0	0
<b>suhosin.log.phpscript.is_safe</b>	Off	Off
<b>suhosin.log.phpscript.name</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.log.sapi</b>	0	0
<b>suhosin.log.script</b>	0	0
<b>suhosin.log.script.name</b>	<i>no value</i>	<i>no value</i>
<b>suhosin.log.syslog</b>	0	0

suhosin.log.syslog.facility	LOG_USER	LOG_USER
suhosin.log.syslog.priority	LOG_ALERT	LOG_ALERT
suhosin.log.use-x-forwarded-for	Off	Off
suhosin.mail.protect	2	2
suhosin.memory_limit	32M	32M
suhosin.mt_srand.ignore	On	On
suhosin.multiheader	Off	Off
suhosin.perdir	0	0
suhosin.post.disallow_nul	1	1
suhosin.post.disallow_ws	0	0
suhosin.post.max_array_depth	50	50
suhosin.post.max_array_index_length	64	64
suhosin.post.max_name_length	64	64
suhosin.post.max_totalname_length	256	256
suhosin.post.max_value_length	1000000	1000000
suhosin.post.max_vars	1000	1000
suhosin.protectkey	On	On
suhosin.request.disallow_nul	1	1
suhosin.request.disallow_ws	0	0
suhosin.request.max_array_depth	50	50
suhosin.request.max_array_index_length	64	64
suhosin.request.max_totalname_length	256	256
suhosin.request.max_value_length	1000000	1000000
suhosin.request.max_varname_length	64	64
suhosin.request.max_vars	1000	1000
suhosin.server.encode	On	On
suhosin.server.strip	On	On
suhosin.session.checkraddr	0	0
suhosin.session.cryptdocroot	On	On
suhosin.session.cryptkey	[ protected ]	[ protected ]
suhosin.session.cryptraddr	0	0
suhosin.session.cryptua	Off	Off
suhosin.session.encrypt	On	On
suhosin.session.max_id_length	128	128
suhosin.simulation	Off	Off
suhosin.sql.bailout_on_error	Off	Off
suhosin.sql.comment	0	0
suhosin.sql.multiselect	0	0
suhosin.sql.opencomment	0	0
suhosin.sql.union	0	0
suhosin.sql.user_postfix	<i>no value</i>	<i>no value</i>
suhosin.sql.user_prefix	<i>no value</i>	<i>no value</i>
suhosin.srand.ignore	On	On
suhosin.stealth	On	On
suhosin.upload.disallow_binary	0	0
suhosin.upload.disallow_elf	1	1
suhosin.upload.max_uploads	25	25
suhosin.upload.remove_binary	0	0
suhosin.upload.verification_script	<i>no value</i>	<i>no value</i>

## tokenizer

Tokenizer Support	enabled
-------------------	---------

## xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

## xmlreader

XMLReader	enabled
-----------	---------

## xmlwriter

XMLWriter	enabled
-----------	---------

## xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.6
EXSLT	enabled
libexslt Version	1.1.26

## Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	enabled
Zend Loader	enabled
License Path	<i>no value</i>
Obfuscation level	3

## zip

Zip	enabled
Extension Version	\$Id: php_zip.c 305848 2010-11-30 11:04:06Z pajoye \$
Zip version	1.8.11
Libzip version	0.9.0

## zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
<b>zlib.output_compression</b>	Off	Off
<b>zlib.output_compression_level</b>	-1	-1
<b>zlib.output_handler</b>	<i>no value</i>	<i>no value</i>

## Additional Modules

Module Name
ionCube Loader

## Environment

Variable	Value
<b>LANG</b>	C
<b>PATH</b>	/usr/local/bin:/usr/bin:/bin
<b>LC_MESSAGES</b>	en_US

## PHP Variables

Variable	Value
<b>_REQUEST["__oa_id"]</b>	ddFQ8HJCXO.1326311259.7.1327129932.1327089917
<b>_REQUEST["PHPSESSID"]</b>	f0c5704cf43d488ae30c23531931b0a5
<b>_REQUEST["__oa_ses"]</b>	1
<b>_COOKIE["__oa_id"]</b>	ddFQ8HJCXO.1326311259.7.1327129932.1327089917
<b>_COOKIE["PHPSESSID"]</b>	f0c5704cf43d488ae30c23531931b0a5
<b>_COOKIE["__oa_ses"]</b>	1
<b>_SERVER["UNIQUE_ID"]</b>	TxriO0B4pTUAAGvhM5YAAAAR
<b>_SERVER["GEOIP_ADDR"]</b>	188.131.95.36
<b>_SERVER["HTTP_HOST"]</b>	hostmd.biz
<b>_SERVER["HTTP_USER_AGENT"]</b>	Mozilla/5.0 (Windows; U; Windows NT 5.1; ru; rv:1.9.1.4) Gecko/20091016 Firefox/3.5.4
<b>_SERVER["HTTP_ACCEPT"]</b>	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
<b>_SERVER["HTTP_ACCEPT_LANGUAGE"]</b>	ru,zh-cn;q=0.5
<b>_SERVER["HTTP_ACCEPT_ENCODING"]</b>	gzip,deflate
<b>_SERVER["HTTP_ACCEPT_CHARSET"]</b>	windows-1251,utf-8;q=0.7,*;q=0.7
<b>_SERVER["HTTP_KEEP_ALIVE"]</b>	300
<b>_SERVER["HTTP_CONNECTION"]</b>	keep-alive
<b>_SERVER["HTTP_COOKIE"]</b>	__oa_id=ddFQ8HJCXO.1326311259.7.1327129932.1327089917; PHPSESSID=f0c5704cf43d488ae30c23531931b0a5; __oa_ses=1
<b>_SERVER["PATH"]</b>	/usr/local/bin:/usr/bin:/bin
<b>_SERVER["SERVER_SIGNATURE"]</b>	<i>no value</i>
<b>_SERVER["SERVER_SOFTWARE"]</b>	Apache
<b>_SERVER["SERVER_NAME"]</b>	hostmd.biz
<b>_SERVER["SERVER_ADDR"]</b>	66.197.238.130
<b>_SERVER["SERVER_PORT"]</b>	80
<b>_SERVER["REMOTE_ADDR"]</b>	188.131.95.36
<b>_SERVER["DOCUMENT_ROOT"]</b>	/home/colibri/domains/hostmd.biz/public_html
<b>_SERVER["SERVER_ADMIN"]</b>	webmaster@hostmd.biz
<b>_SERVER["SCRIPT_FILENAME"]</b>	/home/colibri/domains/hostmd.biz/public_html/info.php
<b>_SERVER["REMOTE_PORT"]</b>	1931

_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/info.php
_SERVER["SCRIPT_NAME"]	/info.php
_SERVER["PHP_SELF"]	/info.php
_SERVER["REQUEST_TIME"]	1327161915
_SERVER["argv"]	Array ( )
_SERVER["argc"]	0
_ENV["LANG"]	C
_ENV["PATH"]	/usr/local/bin:/usr/bin:/bin
_ENV["LC_MESSAGES"]	en_US

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).